








SPOOL TYPES

| | K135 (2 kg) | | 5 pds (2,2 kg) | | D 140 (2,7 kg) | | N 150 (3 kg) | |
|----------------------------|--|---|--|--|---|--------------------|--|---|
| Taragewicht (g) | 107 |  | 144 |  | 148 | No image available | 125 |  |
| Ø Kern/ Flansch (mm) | 57/135 | | 88/133 | | 90/140 | | 57/150 | |
| Bohrung (mm) | 16 | | 16,5 | | 16 | | 18 | |
| Höhe (innen/ außen) mm | 50/43 | | 83/70 | | 90/70 | | 50/43 | |
| Nettogewicht Draht (kg) | 2 | | 2,2 | | 2,7 | | 3 | |
| Material | plastic | | plastic | | plastic | | plastic | |
| Packaging | Single box / 8 spools: 16 kg Palet 120 x 80 x 100 cm / 60 boxes / 480 spools: 960 kg | | Single box / 4 spools: 8,8 kg Palet 120 x 80 x 82 cm / 48 boxes / 192 spools: 420 kg | | Single box / 8 spools: 21,6 kg Palet 120 x 80 cm / 48 boxes / 384 spools: 1035 kg | | Single box / 8 spools: 24 kg Palet 125 x 80 x 96 cm / 64 boxes / 512 spools: 1535 kg | |

| | K 155 (4,2 kg) | | 10 pds (4,4 kg) | | SD 200 K (5 kg) | | N 2 (6kg) | |
|-----------------------------|--|--|--|---|---|--|--|--|
| Tare weight (g) | 142 |  | 202 |  | 275 |  | 163 |  |
| Ø Core/ Flange (mm) | 70/155 | | 90/152 | | 104/200 | | 57/150 | |
| Ø Bore (mm) | 17 | | 16,5 | | 52 | | 18 | |
| Height (inner/ outer) mm | 63/57 | | 101/89 | | 55/46 | | 100/93 | |
| Net weight wire (kg) | 4,2 | | 4,4 | | 5 | | 6 | |
| Material | plastic | | plastic | | plastic | | plastic | |
| Packaging | Single box / 8 spools: 33,6 kg Palet 120 x 80 x 82 cm / 32 boxes / 256 spools: 1075 kg | | Single box / 4 spools: 17,6 kg Palet 125 x 80 x 96 cm / 64 boxes / 256 spools: 1125 kg | | Single box / 3 spools: 15 kg Palet 120 x 80 x 89 cm / 60 boxes / 180 spools: 900 kg | | Single box / 4 spools: : 24 kg Palet 125 x 80 x 96 cm / 64 boxes / 256 spools: 1535 kg | |

SPOOL TYPES



| | K 7 (7 kg – für for flat wire) | | SJ 200 (11 kg) | | K 11 (11 kg – for flat wire) | | DIN 200 (13 kg) | |
|--------------------------|---|---|--|--|--|---|--|---|
| Tare weight (g) | 275 |  | 390 |  | 256 |  | 450 |  |
| Ø Core/ Flange (mm) | 75/200 | | 100/200 | | 71/235 | | 125/200 | |
| Ø Bore (mm) | 66 | | 46 | | 67 | | 22 | |
| Height (inner/ outer) mm | 58/50 | | 112/110 | | 63/53 | | 200/160 | |
| Net weight wire (kg) | 7 | | 11 | | 11 | | 13 | |
| Material | plastic | | plastic | | plastic | | plastic | |
| Packaging | Single box / 3 spools: 21 kg Wooden case 92 x 68 x 52 cm / 72 spools: 500 kg | | Palet 120 x 80 x 95 cm / 90 spools: 990 kg | | Single box / 2 spools: 22 kg Palet 120 x 80 x 72 cm / 48 boxes / 96 spools: 1055 kg | | Single box / 1 spool: 13 kg Palet 120 x 80 x 112 cm / 75 spools: 975 kg | |



| | SD 300 K (15 kg) | | BM 240 (17 kg – for flat wire) | | BB 20 (18 kg) | | DIN 250 (22 kg) | |
|--------------------------|--|--|--|---|---|--|---|--|
| Tare weight (g) | 630 |  | 360 |  | 480 |  | 2400 |  |
| Ø Core/ Flange (mm) | 210/300 | | 105/240 | | 110/200 | | 160/250 | |
| Ø Bore (mm) | 52 | | 98 | | 32 | | 36 | |
| Height (inner/ outer) mm | 102/90 | | 95/85 | | 180/160 | | 200/160 | |
| Net weight wire (kg) | 15 | | 17 | | 18 | | 22 | |
| Material | plastic | | plastic | | plastic | | plastic | |
| Packaging | Single box / 1 spool: 15 kg Palet 110 x 75 x 120 cm / 69 spools in boxes: 1035 kg 125 x 80 x 90 cm / 64 spools in boxes: 960 kg 120 x 80 x 78 cm / 66 boxes: 990 kg | | Single box / 1 spool Palet 120 x 80 x 75 cm / 60 spools in boxes: 1020 kg | | Palet 120 x 80 x 89 cm / 60 spools: 1080 kg Palet 110 x 75 x 115 cm / 75 spools: 1350 kg | | Palet 120 x 80 x 92 cm / 48 spools: 1055 kg | |

SPOOL TYPES

| | B 60 (32 kg) | | K 355 (45 kg) | | K 460 (46 kg – for flat wire) | | MP 100 (90 kg) | |
|--------------------------|---|--|---|---|---|--|---|--|
| Tare weight (kg) | 0,84 |  | 1,85 |  | 2,5 |  | 2,8 |  |
| Ø Core/ Flange (mm) | 117/255 | | 224/355 | | 320/460 | | 218/355 | |
| Ø Bore (mm) | 33 | | 36 | | 305 | | 127 | |
| Height (inner/ outer) mm | 166/151 | | 200/160 | | 105/91 | | 350/310 | |
| Net weight wire (kg) | 32 | | 45 | | 46 | | 90 | |
| Material | plastic | | plastic | | plastic | | plastic / paper core | |
| Packaging | Palet 120 x 75 x 64 cm / 36 spools: 1150 kg 110 x 75 x 64 cm / 33 spools: 1055 kg | | Palet 120 x 80 x 96 cm / 24 spools: 1080 kg 110 x 75 x 135 cm / 36 spools: 1620 kg | | Palet 120 x 80 x 90 cm / 24 spools: 1105 kg | | Palet (stackable) 120 x 80 x 50 cm / 6 spools: 540 kg 110 x 75 x 50 cm / 6 spools: 540 kg 113 x 113 x 48 cm / 9 spools: 810 kg | |
| | MK 100 (90 kg) | | FB 100 (90 kg) | | BICO 100 (90 kg) | | FB 400 (400 kg) | |
| Tare weight (kg) | 2,8 |  | 2,7 |  | 3,5 |  | 10 |  |
| Ø Core/ Flange (mm) | 218/355 konisch 30° | | 220/355 konisch 30° | | 215/355 konisch 36° | | 300/570 | |
| Ø Bore (mm) | 127 | | - | | 127 | | - | |
| Height (inner/ outer) mm | 350/310 | | 370 | | 345/243 | | 635/381 | |
| Net weight wire (kg) | 90 | | 90 | | 90 | | 400 | |
| Material | plastic / paper core | | metal | | plastic | | steel / paper core | |
| Packaging | Palet (stackable) 120 x 80 x 50 cm / 6 spools: 540 kg 110 x 75 x 50 cm / 6 spools: 540 kg 113 x 113 x 48 cm / 9 spools: 810 kg | | Palet (stackable) 120 x 80 x 50 cm / 6 spools: 540 kg 110 x 75 x 50 cm / 6 spools: 540 kg 113 x 113 x 48 cm / 9 spools: 810 kg | | Palet (stackable) 120 x 80 x 50 cm / 6 spools: 540 kg 110 x 75 x 50 cm / 6 spools: 540 kg 113 x 113 x 48 cm / 9 spools: 810 kg | | Palet 92 x 60 x 78 cm / 1 spool: 800 kg | |

SPOOL TYPES

| | RP 400 (400 kg) | | 630er Steel Spool (400 kg) | | MP 500 (500 kg) | | MP 500 Steel (500 kg) | |
|--------------------------|--------------------------------|---|--------------------------------|--------------------|---|---|--------------------------------|--------------------|
| Tare weight (kg) | 23 |  | 40 | No image available | 19 |  | 53 | No image available |
| Ø Core/ Flange (mm) | 477/750 | | 355/630 | | 360/600 | | 360/600 | |
| Ø Bore (mm) | 81 | | 133 | | 81 | | 80 | |
| Height (inner/ outer) mm | 445/400 | | 440/400 | | 607/560 | | 682/540 | |
| Net weight wire (kg) | 400 | | 400 | | 500 | | 500 | |
| Material | wood / paper core | | steel | | wood / paper core | | steel | |
| Packaging | 1 spool (stretch foil wrapped) | | 1 spool (stretch foil wrapped) | | 1 spool (stretch foil wrapped) Palet 120 x 80 x 90 cm / 2 spools: 1000 kg | | 1 spool (stretch foil wrapped) | |


| | FB 800 (800 kg) | | RP 1000 (1000 kg) | | RP 1000 Steel (1000 kg) | | MP 1000 (1000 kg) | |
|--------------------------|--------------------------------|--|--------------------------------|---|--------------------------------|--------------------|--------------------------------|--------------------|
| Tare weight (kg) | 24 |  | 40 |  | 110 | No image available | 21 | No image available |
| Ø Core/ Flange (mm) | 450/800 | | 640/1010 | | 643/1000 | | 480/800 | |
| Ø Bore (mm) | - | | 81 | | 80 | | 80 | |
| Height (inner/ outer) mm | 645 | | 450/405 | | 460/405 | | 775/730 | |
| Net weight wire (kg) | 800 | | 1000 | | 1000 | | 1000 | |
| Material | steel / paper core | | wood / paper core | | steel / paper core | | wood / paper core | |
| Packaging | 1 spool (stretch foil wrapped) | | 1 spool (stretch foil wrapped) | | 1 spool (stretch foil wrapped) | | 1 spool (stretch foil wrapped) | |

SPOOL TYPES

| | RP 1400 (1400 kg) | RP 1400 Steel (1400 kg) | Easydrum (300 kg) |
|-------------------------|--------------------------------|--------------------------------|---|
| Tare weight (kg) | 42 | 125 | 6 |
| Ø Core/ Flange (mm) | 640/1010 | 640/1000 | 350/510 |
| Ø Bore (mm) | 81 | 80 | - |
| Height (inner/outer) mm | 770/604 | 610/560 | 800 |
| Net weight wire (kg) | 1400 | 1400 | 300 |
| Material | wood / paper core | steel | cardboard |
| Packaging | 1 spool (stretch foil wrapped) | 1 spool (stretch foil wrapped) | Palet 72 x 60 x 92 cm / 1 drum: 300 kg 110 x 75 x 92 cm / 2 drums: 600 kg 113 x 113 x 92 cm / 4 drums: 1200 kg |



No image available



- A = Bore
- B = Core
- C = Flange
- D = Inner height
- E = Outer height